

## SAFETY DATA SHEET

## ACDELCO LUBRICANT,R/AXL-75W85 SYN

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

## Trade name

ACDELCO LUBRICANT,R/AXL-75W85 SYN

## Product no.

19300457

## Unique formula identifier (UFI)

5110-E07A-000S-JF3F

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Relevant identified uses of the substance or mixture

Lubricant

## Uses advised against

The product may only be used in accordance with the area of application specified above. If, nonetheless, the product is used outside the specified scope, please contact the supplier.

## 1.3. Details of the supplier of the safety data sheet

## Company and address

**Klintberg & Way Parts AB**

Haukadalsgatan 5

164 40 KISTA

Sweden

+46 (0)8 6808800

www.kwparts.com

## E-mail

info@kwparts.com

## Revision

09-02-2022

## SDS Version

1.0

## 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).  
See section 4 "First aid measures".

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Skin Sens. 1; H317, May cause an allergic skin reaction.

Eye Irrit. 2; H319, Causes serious eye irritation.

## 2.2. Label elements

## Hazard pictogram(s)



## Signal word

Warning

## Hazard statement(s)

May cause an allergic skin reaction. (H317)

Causes serious eye irritation. (H319)

### Safety statement(s)

#### General

Keep out of reach of children. (P102)

#### Prevention

Wear eye protection/protective gloves/protective clothing. (P280)

#### Response

IF ON SKIN: Wash with plenty of water and soap. (P302+P352)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. (P305+P351+P338)

#### Storage

-

#### Disposal

Dispose of contents/container to an approved waste disposal plant. (P501)

### Hazardous substances

Amines, C12-14-alkyl, reaction products with hexanol, phosphorus oxide (P2O5), phosphorus sulfide (P2S5) and propylene oxide

### 2.3. Other hazards

#### Additional labelling

Not applicable

#### Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Distillates (petroleum), hydrotreated light paraffinic	CAS No.: 64742-55-8 EC No.: 265-158-7 REACH: Index No.: 265-158-7	40-50%		
Distillates (petroleum), hydrotreated heavy paraffinic	CAS No.: 64742-54-7 EC No.: 265-157-1 REACH: 01-2119484627-25-XXXX Index No.: 649-467-00-8	20-30%		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Baseoil - unspecified	CAS No.: 72623-87-1 EC No.: 276-738-4 REACH: 01-2119474889-13-XXXX Index No.: 649-483-00-5	1-5%		
Olefin sulfide	CAS No.: 72162-26-6 EC No.: 680-213-9 REACH:	1-5%	Aquatic Chronic 4, H413	

	Index No.:		
Amines, C12-14-alkyl, reaction products with hexanol, phosphorus oxide (P2O5), phosphorus sulfide (P2S5) and propylene oxide	CAS No.:	91745-46-9	0.5-1%
	EC No.:	294-716-2	
	REACH:		
	Index No.:		
			Flam. Liq. 3, H226 Acute Tox. 4, H302 Skin Sens. 1, H317 Eye Dam. 1, H318 Aquatic Chronic 2, H411

-----

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

No special

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In case of uncertainty on how to treat an exposed person, call the National Poisons Information Service immediately.

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

#### Eye contact

Flush with soft water jet or eye wash fluid for at least 5 minutes. In case of persistent symptoms (intense burning, pain, sensitivity to light, visual disturbance) continue flushing and contact/seek a hospital or doctor.

#### Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

#### Burns

Not applicable

### 4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact.

Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

#### Information to medics

Bring this safety data sheet or the label from this product.

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

**5.2. Special hazards arising from the substance or mixture**

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO<sub>2</sub>).

**5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Always wear gloves and protective clothing when in contact with chemical substances.

Avoid direct contact with spilled substances.

**6.2. Environmental precautions**

Avoid discharge to lakes, streams, sewers, etc.

**6.3. Methods and material for containment and cleaning up**

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

**6.4. Reference to other sections**

See section 13 on "Disposal considerations" in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

A risk assessment of the handling shall always be prepared based on the specific conditions prevailing at the workplace. The risk assessment shall be used as basis for preparing appropriate instructions for the safe handling of the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

**7.2. Conditions for safe storage, including any incompatibilities**

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

**Recommended storage material**

Keep only in original packaging.

**Storage temperature**

Dry, cool and well ventilated

**Incompatible materials**

Strong acids, bases, oxidizing agents and reducing agents.

**7.3. Specific end use(s)**

This product should only be used for applications quoted in section 1.2

**SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

#### DNEL

Product/substance DNEL Route of exposure Duration	Distillates (petroleum), hydrotreated light paraffinic 740 µg/kgbw/day Oral Long term – Systemic effects - General population
Product/substance DNEL Route of exposure Duration	Distillates (petroleum), hydrotreated light paraffinic 1.19 mg/m <sup>3</sup> Inhalation Long term – Local effects - General population
Product/substance DNEL Route of exposure Duration	Distillates (petroleum), hydrotreated light paraffinic 970 µg/kgbw/day Dermal Long term – Systemic effects - Workers
Product/substance DNEL Route of exposure Duration	Distillates (petroleum), hydrotreated light paraffinic 5.58 mg/m <sup>3</sup> Inhalation Long term – Local effects - Workers
Product/substance DNEL Route of exposure Duration	Distillates (petroleum), hydrotreated light paraffinic 2.73 mg/m <sup>3</sup> Inhalation Long term – Systemic effects - Workers
Product/substance DNEL Route of exposure Duration	Distillates (petroleum), hydrotreated heavy paraffinic 2.73 mg/m <sup>3</sup> Oral Long term – Systemic effects - Workers
Product/substance DNEL Route of exposure Duration	Distillates (petroleum), hydrotreated heavy paraffinic 5.58 mg/m <sup>3</sup> Inhalation Long term – Local effects - Workers
Product/substance DNEL Route of exposure Duration	Distillates (petroleum), hydrotreated heavy paraffinic 0.97 mg/kg bw/day Dermal Long term – Systemic effects - Workers
Product/substance DNEL Route of exposure Duration	Distillates (petroleum), hydrotreated heavy paraffinic 0.74 mg/kg bw/day Oral Long term – Systemic effects - General population
Product/substance DNEL Route of exposure Duration	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Baseoil - unspecified 740 µg/kgbw/day Oral Long term – Systemic effects - General population

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Product/substance	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Baseoil - unspecified
DNEL	1.19 mg/m <sup>3</sup>
Route of exposure	Inhalation
Duration	Long term – Local effects - General population

Product/substance	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Baseoil - unspecified
DNEL	970 µg/kgbw/day
Route of exposure	Dermal
Duration	Long term – Systemic effects - Workers

Product/substance	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Baseoil - unspecified
DNEL	5.58 mg/m <sup>3</sup>
Route of exposure	Inhalation
Duration	Long term – Local effects - Workers

Product/substance	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Baseoil - unspecified
DNEL	2.73 mg/m <sup>3</sup>
Route of exposure	Inhalation
Duration	Long term – Systemic effects - Workers

## PNEC

Product/substance	Distillates (petroleum), hydrotreated light paraffinic
PNEC	9.33 mg/kg
Route of exposure	Predators
Duration of Exposure	

Product/substance	Distillates (petroleum), hydrotreated heavy paraffinic
PNEC	9.33 mg/kg food
Route of exposure	Predators
Duration of Exposure	Continuous

Product/substance	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Baseoil - unspecified
PNEC	9.33 mg/kg
Route of exposure	Predators
Duration of Exposure	

## 8.2. Exposure controls

Control is unnecessary if the product is used as intended.

### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

In case of simultaneous exposure to several air pollutants, their combined effects shall be considered. In assessing exposure conditions, the body weight and absorption of certain substances through the skin shall be taken into account in addition to the concentration of air pollutants in inhaled air. The person who plans and carries out the air pollution measurement shall have sufficient knowledge to do so. Measurements shall be taken using appropriate methods and equipment. Exposure measurements relate to conditions during normal operation. Where necessary, they shall also highlight the exposure under other conditions. Exposure measurements shall be taken in the breathing zone on a sufficient number of persons to make it possible to assess the exposure of all exposed persons.

### Exposure scenarios

There are no exposure scenarios implemented for this product.

### Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

### Appropriate technical measures

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Apply standard precautions during use of the product. Avoid inhalation of vapours.

#### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

#### Measures to avoid environmental exposure

No specific requirements

#### Individual protection measures, such as personal protective equipment

##### Generally


Use only CE marked protective equipment.

##### Respiratory Equipment

Type	Class	Colour	Standards
Respiratory protection is not needed in the event of adequate ventilation	-	-	-


##### Skin protection

Recommended	Type/Category	Standards
Dedicated work clothing should be worn.	-	-




##### Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Nitrile	> 0,4	> 480	EN374



##### Eye protection

Type	Standards
Safety glasses with side shields.	EN166



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state

Liquid

#### Colour

Amber

#### Odour / Odour threshold

Sharp/pungent

#### pH

Not applicable

#### Density (g/cm<sup>3</sup>)

No data available

#### Relative density

0.851-0.891 (15.6 °C)

#### Kinematic viscosity

74 mm<sup>2</sup>/s (40 °C)

#### Particle characteristics

Does not apply to liquids.

#### Phase changes

Melting point/Freezing point (°C)

No data available

Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

Boiling point (°C)

No data available

Vapour pressure

No data available

Relative vapour density

No data available

Decomposition temperature (°C)

Not applicable

#### Data on fire and explosion hazards

Flash point (°C)

129

Ignition (°C)

No data available

Auto flammability (°C)

No data available

Lower and upper explosion limit (% v/v)

No data available

#### Solubility

Solubility in water

Insoluble

n-octanol/water coefficient

No data available

Solubility in fat (g/L)

No data available

#### 9.2. Other information

Evaporation rate (n-butylacetate = 100)

No data available

Other physical and chemical parameters

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### 10.3. Possibility of hazardous reactions

No special

### 10.4. Conditions to avoid

No special

### 10.5. Incompatible materials

Strong acids, bases, oxidizing agents and reducing agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity



Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Causes serious eye irritation.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

#### Endocrine disrupting properties

No special

#### Other information

The assessment of the properties of the constituents is based primarily on information in the ECHA database of registered substances, and the classification and labelling register.

## SECTION 12: Ecological information

### 12.1. Toxicity

No data available

### 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

### 12.6. Endocrine disrupting properties

No special

### 12.7. Other adverse effects

The assessment of the properties of the constituents is based primarily on information in the ECHA database of registered substances, and the classification and labelling register.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

#### EWC code

13 02 06\* Synthetic engine, gear and lubricating oils

15 01 10\* Packaging containing residues of or contaminated by dangerous substances

#### Specific labelling

Before handling waste, see Section 8, Exposure controls/personal protection. Contamination of the product with hazardous substances during use cannot be ruled out and therefore the properties of the waste do not fully correspond to those of the original product. It is therefore always the user's responsibility to classify the waste.

Hazardous waste shall be transported to an approved waste facility by an authorised carrier.

#### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

### SECTION 14: Transport information

#### 14.1. - 14.4.

Not dangerous goods according to ADR, IATA and IMDG.

#### ADR/RID

Not applicable

#### IMDG

Not applicable

#### MARINE POLLUTANT

No

#### IATA

Not applicable

#### 14.5. Environmental hazards

Not applicable

#### 14.6. Special precautions for user

Not applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

No data available

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Restrictions for application

People under the age of 18 shall not be exposed to this product.

##### Demands for specific education

No specific requirements

##### SEVESO - Categories / dangerous substances

Not applicable

##### Additional information

Not applicable

##### Sources

The employer is obliged to continuously keep abreast of the current regulations pertaining to the activity in question.

The Management of Health and Safety at Work Regulations 1999

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

CLP Regulation (EC) No 1272/2008, as retained and amended in UK law.

EC-Regulation 1907/2006 (REACH), as amended by UK REACH Regulations SI 2019/758

#### 15.2. Chemical safety assessment

No

### SECTION 16: Other information

### Full text of H-phrases as mentioned in section 3

- H226, Flammable liquid and vapour.
- H302, Harmful if swallowed.
- H317, May cause an allergic skin reaction.
- H318, Causes serious eye damage.
- H411, Toxic to aquatic life with long lasting effects.
- H413, May cause long lasting harmful effects to aquatic life.

### Abbreviations and acronyms

- ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
- ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- CAS = Chemical Abstracts Service
- CE = Conformité Européenne
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- CSA = Chemical Safety Assessment
- CSR = Chemical Safety Report
- DMEL = Derived Minimal Effect Level
- DNEL = Derived No Effect Level
- EINECS = European Inventory of Existing Commercial chemical Substances
- ES = Exposure Scenario
- EUH statement = CLP-specific Hazard statement
- EWC = European Waste Catalogue
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- IARC = International Agency for Research on Cancer (IARC)
- IATA = International Air Transport Association
- IBC = Intermediate Bulk Container
- IMDG = International Maritime Dangerous Goods
- LogPow = logarithm of the octanol/water partition coefficient
- MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- OECD = Organisation for Economic Co-operation and Development
- PBT = Persistent, Bioaccumulative and Toxic
- PNEC = Predicted No Effect Concentration
- RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
- RRN = REACH Registration Number
- SCL = A specific concentration limit.
- SVHC = Substances of Very High Concern
- STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
- STOT-SE = Specific Target Organ Toxicity - Single Exposure
- TWA = Time weighted average
- UN = United Nations
- UVCB = Complex hydrocarbon substance
- VOC = Volatile Organic Compound
- vPvB = Very Persistent and Very Bioaccumulative

### Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)

### The safety data sheet is validated by

Future Competence Sweden AB

### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

---

data sheet cannot be used as a product specification.  
Country-language: GB-en